

	Front Drive
Basic Parameter	
Length (mm)	4360 (With the spare tire)
Width (mm)	1785
Height (mm)	1680
Wheelbase (mm)	2535
Track (mm) (F/R)	1525/1535
Min. ground clearance (mm) (full-load)	≥150
Min. turning radius (m)	≤5.5
Curb weight (kg)	1580
Gross weight (kg)	1955
Seats	5
Cargo volume (L)	≥340 (≥1200 Lay down the second row)
Tire	205/60 R16
Front Motor	
Max. power (kW)	70
Max. torque (N•m)	180
Rear Motor	
Max. power (kW)	-
Max. torque (N•m)	-
Transmission	
Transmission type	BYDNT18-1
Battery	
Battery type	NCM
Capacity (kWh)	53.2
Voltage (V)	394.2
Module quantity	/
Cell quantity	108
Cell capacity(Ah)	135
Charging	
Charging power	EU AC 7kW/DC 40kW GB AC 7kW/DC 40kW
Charging time	8.5h/1.5h
Performance	
EV range (km) (NEDC)	400
Top speed (km/h)	≥101
Gradeability	30%
0-100 km/h acceleration time (s)	≤13.9
Chassis	
Drive mode	Front Drive
Front suspension	Macpherson independent suspension
Rear suspension	Torsion beam non-independent suspension
Front brake	Disc
Rear brake	Disc